GENERAL DYNAMICS

Land Systems








GENERAL DYNAMICS CORPORATION

Business Segments



Combat Systems



Information Systems & Technology



Marine



Aerospace

- Why Digital
- Why ISO Standards
- What are Those Standards
- Benefits
- Plant Program
- Future Plans

DIGITAL ENGINEERING CREATES A PATH TO DIGITAL MANUFACTURING

Standard for the Exchange of Product Model Data (STEP)

Numerical Control (NC) - STEP NC

Open Modular Architecture Control (OMAC)

WHY DIGITAL MANUFACTURING?

Problem

- Most Product Exchange is Still Through Paper or Proprietary Data Formats
- Results In Delayed Production. Rework Costs Industry an Estimated \$1M per Day, Data Related Problems Cost Industry Millions

Solution

- Provide Digital Infrastructure
- Must be Interoperable. Data is Allowed to Flow Across Dis-Similar Platforms

Results

- OEM's will Reduce Design to Production by Months
- Suppliers Could Reduce Delivery Time by Four Months if they Received Interoperable Data from OEM's for Each New Design

How

Using STEP NC and OMAC

STEP, STEP NC AND OMAC WHAT IS IT

- STEP Implementation
 - Allows Exchange and Sharing of Product Data Among Dis-Similar Computer Aided Design (CAD), Computer Aided Manufacturing (CAM), and Numerical Control (NC) Machines
 - Allows Exchange and Sharing of Product Data While Retaining Semantics Throughout the Product Life Cycle
- STEP is an International Standard (ISO 10303) that Defines the Methodology to Create Computer Interpretable Product Data Models. STEP Standards are Developed by International Working Groups

STEP, STEP NC AND OMAC WHAT IS IT

(CONTINUED)

STEP NC

- Standard for the Exchange of Product Model Data, Numerical Control (STEP NC)
- STEP NC is a CAM to CNC Machine Tool Interface
- Complete Snapshot of All Information Required to Manufacture a Part
- Open Modular Architecture Controller (OMAC)
 - The United States OMAC Users Group is Pursuing a Common International Application Program Interface (API) Standard in Collaboration with European (OSACA) and Japanese (JOP) User Groups to Promote Open Architecture Control Development Among Control Builders. Facilitates a Whole New Means of Integration
 - Allows Systems to be Easily Configured, Simulated and Built from Modular Building Blocks
 - Adaptable for Different Platforms, Architecture is Open and Extensible
 - Allows "Plug In" Application Specific Implementations (Example: STEP NC)

STEP WORKING GROUP COLLABORATION

Australia

Belgium

Brazil

Bulgaria

Canada

China

Czech Republic

Denmark

England

Finland

France

Germany

Hungary

Ireland

Italy

Japan

Korea

Lithuania

Malaysia

Mexico

Mongolia

Netherlands

Norway

Poland

Portugal

Romania

Russia

Singapore

Spain

Sweden

Switzerland

United States

Yugoslavia

OMAC MEMBER COMPANIES END USER MEMBERS

Anheuser Busch BP Amoco Cargill Caterpillar Inc. **Cummins Engine** Daimler Chrysler Corp. **Deere & Company Delco Electronics of Delphi Automotive Dofasco Steel Eastman Chemical Company** Eastman Kodak Co. **El Paso Energy Corporation Ford Motor Company Gates Rubber Company**

General Dynamics Land System General Mills Inc. **General Motors Powertrain Group General Motors Corporation North American Operations** Goodyear Tire & Rubber Co. Hershey Foods Corp. Hewlett-Packard Ink Jet Business Unit Honda of America Mfg., Inc. **Hyundai Motor Company Intel Corporation Draft Foods** M&M Mars **Mckee Foods Corporation Maximum Spindle Utilization**

Michelin North America Millennium Chemicals Nabisco, Inc. **New United Motors Mfg., Inc.** (NUMM() Pharmacia & Upjohn, Inc. Philip Morris USA **Pratt & Whitney** Proctor & Gamble Co. Ralston Purina Co. The Boeing Co. Unilever **Westinghouse Savannah River** William Wrigley Jr. Company

OMAC ORIGINAL EQUIPMENT MANUFACTURERS (OEM) MEMBERS

Ames Engineering Corp.

Angelus Can Machine Co.

Brenton Engineering

Bridgeport Machines

CCL Label

Charmilles Technologies

Cincinnati Machine

Delta Systems Inc.

Douglas Machine, Inc.

Elliot Manufacturing Company Inc.

Emplex Systems

GENCOR

Huskey Injection Molding Systems
Hurco Companies Inc.
Ilapak
Ingersoll Milling Machine Co.
IWKA Pacunion GmbH
Klockner Bartelt
Makino
Markem Corporation
Mazak Corporation
Mettler Toledo
MGS Machine Corporation
Monarch Machine Tool Co.

OKUMA America Corporation
OPTIMA Packaging Group
Pacific Packaging Machinery
Priority One Packaging RA Jones
& Company Inc.
Robert Bosch Packing
Rovema Packaging Machines
Sandiacre Packaging Machinery
Sasib Packaging, North America
Schneider Packaging Equipment
SIG Pack
Universal Instruments Corp.

OMAC

TECHNOLOGY PROVIDERS AND INTEGRATORS

MEMBERS

ABB Packaging Automation Div.
Acroloop Motion Control Systems
ACS Co., Ltd.
Advanced Misra Controls Inc. AMCI

Advanced Micro Controls Inc. AMCI
Advanced Real-Time Control Systems, Inc.
Advanced Technology Services, Inc.
Alabama Technology Network
Allen-Bradley Division Rockwell Automation

Alexandria Technical College

American Robot Technologies
API Motion Inc.

Argo International

ASAP Inc. ASAP Technology AT&R Ingenieria

ARC Advisory Group
Automation Intelligence

Baldor Electric Company

Alluff Inc.

Beckhoff Automation Blue Water Systems

Bosch Automation Technology

bfa

Brain International BSQUARE Corporation Cadence Design Systems

Cadillac Electric

CamSoft Corporation

Chesapeake Bay Systems Cimetrix

Ci Technologies Inc.
Cleveland Motion Controls
Clone Computer Corporation
CNC Engineering, Inc.

Computer and Automation Institute

CTC Parker Automation Cutler-Hammer

Cyberonics Inc.

Cycle Software, Inc. Delta Tau Data Systems

DHS & Associates Inc.

Divelbiss Corporation Entivity Inc.

e-Manufacturing Networks Inc.

E-Mation ELAU. Inc.

Emerson Motion Control
Florida State University College of Engineering
Fru-Con Engineering

Fuji Electric Co., Ltd.

Geneer

Giddings & Lewis Automation
Gintic Institute of Mfg. Technology

GE Cisco

GE Fanuc Automation

Halley Sistemas Hitachi, Ltd.

Honeywell Micro Switch

Human-Machine Systems

Hungarian Academy of Sciences, Budapest Ikerlan

Indramat Division Rexroth Corp. Industrial PC. Inc.

Intech

Intellution

Intercim Corporation Intrinsyc Software, Inc.

James J. Childs Associates

JL Souser

Kukulu Automation Labtech

Lawrence Livermore National Laboratory (LLNL) LiveData, Inc.

LiveData, Inc.
Lockheed Martin Postal Systems

Louisiana Center for Manufacturing Sciences (LCMS)

Mantha Software

Manufacturing Automation Laboratories Inc. (MAL)
Manufacturing Data Systems (MDSI)

MDT Software

Microsoft Middough Consulting

Mitlar Industrial Technology
Mitsubishi Electric Automation, Inc.

MotionIO

Motoman Inc.

NCME Inc.

Nematron Corporation
Nexen Group Inc.

NIST Dept of Commerce

Nortel Networks

North Coast Electric
Northwest Controls, Inc.

Numerical Control Service, Inc.
Omron Electronics, Inc.

Ormec Systems Corp.

Parker Hannifin Corporation Phoenix Contract

> Pilot Design PMMI

Purdue University

Radi Sys

Raytheon Consulting Group Real Time Development Corp.

Real-Time Innovations, Inc.

Real-Time Information Services

Rockwell Automation

ROY-G-BIV Corporation

RWD Technologies Inc. S&I Process Control Ltd.

Sandia National Lab

Schneider Automation

Schneider Automation

Sebesta Blomberg & Associates

Siemens AG / Energy & Automation Softwin GmbH

Software AG, Inc.

Sound Machine Tool Controls

SST Steeplechase Software, Inc.

STEP Tools, Inc.

Stratus Computer Syner4getic Micro Systems

Sysesis International SyTech

TA Engineer9ing Co., Inc.
Telemetry Control Systems, LLC

Textron Systems
Trandes Corporation

University of California University of Michigan

University of Southwestern Louisiana USDATA Corporation

VarTech Displays Inc. VDW

VenturCom

Vickers Electronic Systems Virtual Access Networks

VMIC

WAGO Corporation Wesco Distribution, Inc.

Wind River Systems Wonderware

Wonderware

Xycom Automation Yaskawa Electric America

> Zone Automation Zarpac Inc.

> > **Z18-1474-12** 13-Nov-02 em

KEY FEATURE OF STEP-NC

- STEP-NC Describes "What" Not "How"
 - Make this Geometry from this Stock
 - By Removing these Features
 - In this Order
 - With this Tolerance
 - And Tools that Meets these Requirements
- The Old Standard Described "How"
 - Move Tool to this Location
 - Move Tool to this Location
 - And so on for Millions of Commands

KEY BENEFITS OF STEP-NC

- Fewer Drawings
 - STEP-NC Data is Self Documenting
- Quicker CAM
 - No Need to Describe Unnecessary Details
- Faster Machining
 - Using Intelligent Optimization on the Control

STEP-NC

- Direct Control of Machine Tools From 3D Data
 - STEP-NC Under Development in Europe and Far East for 5 Years
 - Milling, Turning, Wire EDM, CMM Others Anticipated
- Benefits
 - 35% Reduction in CAM Planning Time
 - 75% Reduction in Number of Drawings Sent From CAD to CAM
 - 50% Reduction in Machining Time for Small to Mid Sized Job Lots
 - Elimination of 4,500+ Post Processors
 - Safer, More Adaptable Machine Tools

 CAD

 STEP
 (AP-203)

 75%
 faster

 Same geometry

 CAM

 CNC

 STEP-NC
 (AP-238)

 50%
 faster

AP-238 – STEP IS INTEGRATED

AP-238 Integrated CNC

Milling, Turning & EDM processes defined by ISO 14649 (STEP-NC)

Inspection
Tolerances defined by
AP-219

Features defined by AP-224

Geometry defined by AP-203/AP-214

AP-240 Macro Manufacturing Processes

CONSIDERATIONS

- If Current Trends Continue
 - Most Machine Tools Will Be Made in the Far East, Many in China
 - (Today GDLS Can Buy US for \$1.2M or Korean for \$0.25M)
 - The CAM Vendors Will Expand Their Post Libraries From 4,500 to ???
 - In the Event of an Emergency 10,000 People May Be Trying to Port 10,000 G-code Files to 10,000 Machines With 10,000 Posts
- STEP-NC
 - Eliminates the Post
 - Defines a Higher Level Interface
 - Maximizes Flexibility of the Part Programs
 - Maximizes Independence From the Machine Tool Vendor
 - Replaces IGES and RS274D Allowing Internal and External Suppliers to Be Driven From the Same Data

CURRENT NC PROGRAMMING USING RS274 (M&G CODES)


The standard for 50 years!


Machine-specific Part Program With Axis Data Generated by a Postprocessor

Vendor-specific Extensions of the Original Standard

Only Primitive Motion and Switch Commands

No Standardized Data Format for Spline Processing and Sophisticated NC Technology





STEP-NC OMAC Replaces This With a Rich, Integrated Data Format

Courtesy WZL RWTH Aachen

CAM BENEFIT

- AS-IS Process
 - CAM User Receives Drawing
 - CAM User Converts Drawing Into CAM Model
 - CAM User Generates RS274D From CAM Model
- TO-BE Process
 - CAM User Receives 3D Model
 - Feature Recognition Used to Initialize CAM Model
 - CAM User Generates AP-238 From CAM Model
- Accelerants
 - Feature Recognition
 - Features Sent to CNC Instead of M and G Codes


CAM BENEFIT

The Supplier Creates the CAM Plan from a 3D Product Model Instead of Paper Drawings

Estimated by Lockheed Martin

Of 13M engineering hours on Boeing 777 project an estimated 8M spent on data correction and administration

	Without STEP		ut STEP	With STEP	Saving
	Max	Min	Average	Average	
Hours to make a process plan	100	4	16	12	25%
Hours to replan a process plan	20	1	4	3	25%
Number of iterations			3	2	33%
Total Hours			28	18	36%



PDM BENEFIT

- AS-IS Process
 - Make Drawings for Each Stage of Manufacturing from 3D Models
 - Annotate Drawings With Product Specifications as Text
 - Send Drawings to Manufacturing
- TO-BE Process
 - Send STEP-NC Data Containing AS-IS and TO-BE Model for Each Manufacturing Stage
- Accelerants
 - No Need to Make So Many Drawings
 - Manufacturing Gets an Electronic Product Specification


PDM BENEFIT

A 3D Model Is Sent to the Supplier Instead Of Paper Drawings

Estimated by Raytheon

For each 1 file made by design 100 are made by manufacturing – Ford Motor

	Using Drawing		Using STEP		Saving	
	Max	Min	Average			
Number of Drawings per design	100	10	40		10	75%
Number of hours to make drawing	80	1	8		8	
Total Hours			320		80	75%




CNC BENEFIT

The Machine Computes Optimum Speeds and Feeds From Full Fidelity Geometry Information

Estimated by Cincinnati Machine

By value, 75% of manufacturing is for lots of 50 or less – Manufacturing Roadmap


Part name	s05	s06	s09	s25	w2005
Old Mach	3-axis	4-axis	4-axis		
	4.13hrs	2.3hrs	1.18hrs	?	?
New Mach	5-avie	5-axis	5-axis	5-axis	5-axis
iioii iiiaoii	J-axis	J-axis	J-axi5	J-axi5	J-axi5
Trow maon	1.09hrs	0.36hrs	?	0.59hrs	0.59hrs



CNC BENEFIT


- AS-IS Process
 - Machine Executes RS274D Codes With As Much Accuracy as Possible
- TO-BE Process
 - Machine Gets Complete Manufacturing Specification
 - Geometry, Tolerances, Tool Requirements, Fixtures, Material
 - Machine Computes Optimal Speeds and Feeds
 - Algorithms + Tool Database + Geometry / Tolerances
- Accelerants
 - 5 Axis Machining and High Speed Machining Become Easier and Safer to Use So they are Used More Often for Small and Medium Lot Manufacturing

AS-IS PROCESS



Macro Planning Is Stock Definition, Feature Selection,
Process Ordering and Tool Requirements.

Micro Planning Is Tool Path Generation With Tools That
Meet the Requirements



Post Processor is invisible to the user.

Micro planning (tool path generation) is automatic using a CAM system integrated with a legacy or new Controller.

OBJECTIVES GDLS STEP NC / OMAC 3 YEAR PROGRAM

- Implement Global Standard for the Exchange of Product Model Data (STEP) Standards and Open Modular Controllers to Allow Data Exchange to and from Design and Manufacturing
 - Partner with the Army's National Automotive Center (NAC), STEP Tools, National Institute for Standards and Technology (NIST), Lawrence Livermore National Lab (LLNL), ARDEC/TIME, Louisiana Center for Manufacturing Sciences (LCMS), Numerical Control Service (NCS), Gibbs and Associates
 - Test Global Standards, Open Architecture Controller, Computer Aided Design (CAD) Systems, Computer Aided Manufacturing (CAM) Systems, and Import to Machines on the Shop Floor
 - Eliminate the Post and Archaic RS274 (M&G) Codes
- Establish a Industry Process that Shares Data Between Design, Process Planning and Machine Tool Controller

Reduce Industry Costs by Eliminating Paper and Proprietary Data Formats

STEP NC ELECTRONIC COMMERCE INDUSTRY BENEFITS

DEVELOP DATA INFRASTRUCTURE INTEROPERABILITY

- Promote Dual Use Technology Investment to Integrate Commercial and Military Production
- Build Open Architecture Data Infrastructures
 - Creating Multi-Vendor Integration of Defense Data Systems (Prime, Subcontractor, Component Vendors)
 - Creating Interoperable Data Within Government and Government Contractor Base
- Reduce Costs Using the STEP 3D File Based Infrastructure
- Use of the Internet to Transmit STEP Data
 - Reduce Original Equipment Manufacturer (OEM) Production Planning and Manufacturing Control for Supply Chain by 30% or More
 - Reduce Supply Chain Business Costs from 10% to 40%

STEP NC - OMAC PROGRESS 3 YEAR PROGRAM 2000 THROUGH 2002 ACCOMPLISHMENTS AS OF AUGUST 2002

- Secured GDLS Engineering / Manufacturing 3 Year Program Commitment
- Secured National Automotive Center (NAC) 3 Year Program Commitment
- Identified the Open Modular Architecture Controller (OMAC) as the Controller of Choice
- Located a Bridgeport Machine (Government Furnished) at Scranton for Testing. Identified Production Test Parts
- GDLS Scranton Production Identified Virtual Gibbs CAM System as CAM System of Choice for Program
- Secured Program Commitment from Bill Gibbs (CEO) of Gibbs & Associates

STEP NC - OMAC PROGRESS 3 YEAR PROGRAM 2000 THROUGH 2002 ACCOMPLISHMENTS AS OF AUGUST 2002

- Formed Team with National Automotive Center (NAC) GDLS Scranton Plant, Lawrence Livermore Labs, STEP Tools Inc., ARDEC / TIME, Louisiana Center for Manufacturing Sciences Gibbs & Assoc., Numerical Control Services to Run a Parallel Production Program with the STEP Tools ATP NIST Program
- Team Met at the GDLS Scranton Plant to Review Bridgeport Specifications and Document Machine Readiness, Required Machine Improvements, and Task Team Members
- Processed Material Requests for Team Vendor Participation
- Concurrently Forming International Coalition for Support of STEP NC Standard as (ISO) International Standard and OMAC API Development
- Development of Additional Macro Process ISO Standard

STEP NC OMAC CURRENT STATUS

- All Equipment and Software has been Delivered for Machine Upgrade
- NCS has Installed Upgraded Parts on Bridgeport
- OMAC Development is Now Under Louisiana Center for Manufacturing Sciences (LCMS)
- First Test August 2001
- Testing Showed Development of the Baseline for
 - Faster CAD to CAM Using AP 203 (Any CAD System will do)
 - Faster CAM to CNC Using STEP NC
 - No Post Processor, All CNC's will Read STEP NC
 - Machining Using an OMAC Controller

Conclusion:

We have a Framework for Implementing Faster, More Intelligent Machining

STEP NC OMAC CURRENT STATUS (CONTINUED)

- Bridgeport Upgrade
 - NT Operating System (Software)
 - New Spindle Drive (SERCOS Compatible)
 - Upgrade Three Drives to SERCOS
 - Upgrade MDSI Controller Software
 - Switch to Profi Bus
 - ISA SERCOS PC Card, SST Profi Bus Card
 - New Computer (Intel Motherboard, Intel Pentium 3 Processor 256 mg-vram 20g Hard Drive)
- Obtain
 - Licenses
 - Internet Connections
 - Original ISA GRAF Files


WHY IS THIS IMPORTANT

- Demonstrate Three Kinds of Manufacturing Features being Cut on a Milling Machine
 - Demonstrate AP 203 (Design) to CAM System to M/G Codes to Machine
 - Significance STEP AP 203 (Design) will Input to CAM
- Demonstrate to AP 238 (Step NC) to CAM to M/G Codes to Machine
 - Significance Faster, More Flexible Set-Up using STEP NC
- Demonstrate AP 203 (Design) to AP 238 (Manufacturing) to CAM to OMAC Controller on Machine
 - Significance Design and Manufacturing Integration to Open Modular Controller Eliminating M/G Codes


GDLS DEMONSTRATION

- STEP-NC Enable a Legacy Bridgeport Controller
 - Press "Run" to Make the Part
 - Press "Verify" to Check Tool Paths for Collisions

- Press "Document" to Create a Spreadsheet of Operations




SCENARIO 1 AP203 ---> CAM ---> G- CODE



- ISO Standard
- B-Rep Geometry
- CAM
 - Machining Strategy
 - Toolpath Generation
 - CNC via Posted G-Code


- **Programming**
- **Proprietary G-Code**
- **Machine Tool Downstream**

SCENARIO 2 AP238 ---> CAM ---> G- CODE



- Toolpath Generation
- CNC via Posted G-Code
- **Process Plan**
- **Automated Toolpath** Generation
- **Conventional G-Code**

SCENARIO 3 AP238 ---> CAM ---> OMAC API



- Toolpath Generation
- CNC via OMAC API

- **Process Plan**
- **Automated Toolpath** Generation
- **CNC Software Integration**

THE FUTURE

- Develop an Integrated Manufacturing Environment Using (ISO) International Standards
- Initiate Limited Production Using a Machine Center at the GDLS Scranton Pennsylvania Plant
- Move Process to Additional GDLS Sites

STEP NC / OMAC PRESS INTEREST

DATE	PUBLICATION	TITLE
2001 November	Manufacturing Engineering	Moving Toward the e- Factory
2001 May	American Machinist	The Ultimate STEP
2001 April	Modern Machine Shop	Feature Recognition – The Missing Link to Automated CAM
2001 April	Injection Moulding Magazine	E-Capable CNC Gains Ground
2001 March	Industry Week	The Next STEP
2001 February	NASA Tech Briefs (Applications Brief)	New User Interface for NASA System Simulation
2001 January	Manufacturing Engineering	STEP Into NC
2000 September	Manufacturing Automation	STEP Tools Advances Product Data Exchange in Manufacturing
2000 November	American Machinist (Technology Trends)	Revealing the Next STEP
2000 July	Machine Design	What You Should Know About STEP

GENERAL DYNAMICS

Land Systems



JOINT LOGISTICS COMMANDERS JOINT AERONAUTICAL COMMANDERS' GROUP

DEPARTMENT OF THE AIR FORCE HEADQUARTERS AERONAUTICAL SYSTEMS CENTER (AFMC) 1865 FOURTH STREET, ROOM 208 WRIGHT-PATTERSON AIR FORCE BASE OHIO 45433-7128

MAY 200

MEMORANDUM FOR THE AIR FORCE ACQUISITION EXECUTIVE NAVY ACQUISITION EXECUTIVE ARMY ACQUISITION EXECUTIVE

SUBJECT: Strategy for Product Data throughout the Life Cycle

- 1. Last year, we evaluated the benefits of standardizing on common product data exchange requirements. In particular, we were interested in standards that would allow engineering data developed under one automated design tool to be read and manipulated by design teams using different automated tools. We determined the existing ISO 10303 (STandard for Exchange of Product model data STEP) met our military aeronautical requirements and that it was widely used by the commercial aerospace community. As a result, we have approved the use of STEP throughout our commands. Since STEP is a standard with many applications beyond aerospace (e.g., it is required in Navy shipbuilding), we encourage you to consider its use in other sectors.
- 2. Our implementation approach will be to use STEP in new aerospace system designs and major modifications to existing systems unless either the cognizant PEO or Systems Commander approves a waiver. The services have agreed and hence its use should be considered mandatory. Where a business case supports this, we are also encouraging the use of STEP for legacy systems.
- 3. The use of STEP will give us the greatest flexibility to take advantage of new computer design and support tools, but the real benefit to our services will be seen in reduced cost and cycle time, and in improved supportability. I would be pleased to arrange a briefing on STEP and our intended implementation, if you would like.

 My point of contact for this subject is Mr. James Arnold, ASC/ENSM, DSN 785-9883, email: James, Arnold@wpafb.af.mil.

> -RICHARD V. REXNOLOS Licutenant General, USAF JACG Chairman

Headquarters, US Marine Coms.

Washington DC 20593-0001

Attachment:

ISO 10303 Point Paper

Defense Contract Mg/rt Agency 6350 Walker Lane Alexandria VA 22310 Naval Air Systems Command 47123 Buse Rd., Unit IPT, Suite 354 Patusent River MD 20679-1547

Dept of Avration, 2 Nany Annex.

Washington DC 20390-1776

National Aeronautics and
Space Administration
300 E Street S.W.

Department of the Army US Army Aviation & Missile Commend Redstone Arsenal AL 35898-5000

> Federal Aviation Administration 800 Independence Ave, SW Washington DC 20591